## Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

## <u>Listing of Claims</u>:

- 1. (original) A method of cutting steel with a
- 2 cutting torch to reduce slag adherence to a cut edge of
- 3 the steel, comprising steps of:
- 4 commencing a cut at a first side of the steel;
- 5 moving the cutting torch in an arcuate path shaped
- 6 to continuously aim a cutting flame of the cutting torch
- 7 at a fixed point located at a bottom of the first side of
- 8 the steel; and
- 9 following the arcuate path to keep the cutting flame
- 10 aimed at the fixed point until the steel is cut.
- 1 2. (original) A method as claimed in claim 1
- 2 further comprising steps of moving the cutting torch
- 3 transversely relative to the steel, while maintaining the
- 4 cutting torch stationary relative to a longitudinal axis
- 5 of the steel.

- 1 3. (original) A method as claimed in claim 1
- 2 further comprising steps of synchronously moving the
- 3 cutting torch and the steel in a direction parallel with
- 4 a longitudinal axis of the steel, while moving the
- 5 cutting torch transversely relative to the steel along
- 6 the arcuate path.
- 1 4. (original) A method as claimed in claim 1
- 2 further comprising a step of returning the cutting torch
- 3 to a starting position after the steel is cut.

## Claims 5 - 17 (Cancelled).

- 1 18. (original) A method of cutting steel billets
- 2 from a continuous cast steel stand to reduce slag
- 3 adherence to a cut edge of the billets, comprising steps
- 4 of:
- 5 commencing a cut at a first side of the steel
- 6 strand;
- 7 moving the cutting torch in an arcuate path shaped
- 8 to continuously aim a cutting flame of the cutting torch
- 9 at a bottom corner of the first side of the steel strand;
- 10 and

- following the arcuate path to keep the cutting flame
- 12 aimed at the bottom corner until the steel strand is cut
- 13 to form the steel billet.

Claims 19 - 20 (Cancelled).